SEX DETERMINATION

Pelvis

Table 1

Trait	Result	Female	Male
Sub-Pubic Angle		>90°	<90°
Pubis Body Width		~40 mm	25-30 mm
Greater Sciatic Notch		>68°	<68°

Skull

Table 2

Trait	Result	Female	Male	
Upper Edge of Eye Orbit		Sharp	Blunt	
Shape of Eye Orbit		Round	Square	
Zygomatic Process		Not expressed beyond external auditory meatus	Expressed beyond external auditory meatus	
External Occipital Protuberance		Generally absent	Generally present	
Frontal Bone		Round, globular	Low, slanting	
Mandible Shape		Rounded, V-shaped	Square, U-shaped	

Femur

Table 3

Trait	Result	Female	Indeterminate Sex	Male
Vertical (Maximum) Diameter of Femoral Head (mm)		<43.5	43.5-44.5	>44.5
Bicondylar Width (mm)		<74	74-76	>76
Maximum Length (mm)		<405	405-430	>430

Humerus

Table 4

Trait	Result	Average Fe- male	Average Male
Transverse Diameter of Humeral Head (mm)		37.0-39.0	42.7-44.7
Vertical Diameter of Humeral Head (mm)		42.7	48.8
Maximum Length (mm)		305.9	339.0
Epicondylar Width (mm)		56.8	63.9

Final sex determination

RACE DETERMINATION Skull Nasal width mm Nasal height _____ mm Table 5 Trait Result Caucasoid Mongoloid Negroid Nasal Index <.48 .48-.53 >.53 Somewhat prominent Nasal Spine Prominent spine Very small spine spine Nasal Sharp ridge No ridge Rounded ridge Silling/Guttering (silling) (guttering) Prognathism Straight Variable Prognathic Shape of Orbital Rounded, Rounded, somewhat Rectangular or Openings somewhat square circular squared Caucasoid skull: Nasal width ____mm ÷ Nasal height ____mm = Nasal index____ Mongoloid skull: Nasal width ___mm ÷ Nasal height ___mm = Nasal index Negroid skull: Nasal width ____mm + Nasal height ___mm = Nasal index____ Are the nasal indexes of each racial group close to the ones that appear in Table 5? If not, what could account for this inconsistency? Femur Caucasoid - fingers can fit under curvature of femur Negroid – fingers cannot fit under curvature of femur Final race determination

HEIGHT DETERMINATION

Femur

Maximum Length of Femur (MLF) _____ mm = ____ cm

Table 6

		M	ale		ammonimes ideal disklamide kina mondocci e kina akunovo e comunicati e	Fe	male	
	Regression formula	Height (cm)	Confidence interval Height range (cm)		Regression formula	Height (cm)	Confidence interval	Height range (cm)
Caucasoid	2.32 (MLF) + 65.53		±3.94		2.47 (MLF) + 54.10		±3.72	
Mongoloid	2.15 (MLF) + 72.57		±3.80		2.38 (MLF) + 56.93 **		± 3.57	
Negroid	2.10 (MLF) + 72.22		±3.91		2.28 (MLF) + 59.76		±3.41	

^{**} Practitioners' formula extrapolated from Caucasoid and Negroid regression formulae for females.

Humerus

Maximum Length of Humerus (MLH) _____ mm = ____ cm

Table 7

		Ma	ile	-	Female			
	Regression formula	Height (cm)	Confidence interval	Height range (cm) Regression formula		Height (cm)	Confidence interval	Height range (cm)
Caucasoid	2.89 (MLH) + 78.10		±4.57		3.36 (MLH) + 57.97		±4.45	
Mongoloid	2.68 (MLH) + 83.19		±4.16		3.22 (MLH) + 61.32 **		± 4.35	
Negroid	2.88 (MLH) + 75.48		±4.23		3.08 (MLH) + 64.67		±4.25	

Minimum	value =	cm	$\div 2$.54	==	inches =	feet	inches

Maximum value = $\underline{}$ cm \div 2.54 = $\underline{}$ inches = $\underline{}$ feet $\underline{}$ inches

 $[\]geq$ 24 in. = 2 ft.

 $[\]geq$ 36 in. = 3 ft.

 $[\]geq 48 \text{ in.} = 4 \text{ ft.}$

 $[\]geq$ 60 in. = 5 ft. \geq 72 in. = 6 ft.

^{**}To convert your answers to feet and inches: assign the "feet" value according to the chart that follows, then subtract the appropriate whole number (in inches) from your answer to calculate the "inches" portion of the number (e.g., 63.78 in. is >60 in. therefore, the person is at least 5 ft. tall; 63.78 - 60 = 3.78 in. to give a final answer of 5'3.78" tall.

AGE DETERMINATION

Pelvis

Table 8

Developmental Occurrence	Approximate Age
The pubis bone and ischium are almost completely united by bone (Figure 6)	7-8
The ilium, ischium, and pubis bones are joined together (Figure 6)	13-14
The two lowest segments of the sacral vertebrae become joined together (Figure 8)	18
The ilium, ischium, and pubis bones become fully ossified with no evidence of epiphyseal unions (indicated by cartilaginous lines)	20-25
All segments of the sacrum are united with no evidence of epiphyseal unions	25-30

Femur

Table 9

Developmental Occurrence	Approximate Age
The greater trochanter first appears	4
The lesser trochanter first appears	13-14
The head, greater trochanter, and lesser trochanter first join the shaft	18
The condyles first join the shaft	20

Humerus

Table 10

Developmental Occurrence	Approximate Age
The head and tuberosities join to become a single large epiphysis	6
The radial head, trochlea, and external condyle blend and unite with the shaft	16-17
The internal condyle unites with the shaft	18
The upper epiphysis unites with the shaft	20

Final minimum age determination (range) ______years